

## Video 60 Plus Studio Fluid head



### The Versatile Fluid Head

This flat-base version of the Video 60 Plus series is ideal for OB and studio operation. Weighing just 9.4 kg / 20.7 lb, it has a sliding range of 120 mm / 4.7". Video 60 Plus fluid heads have a modular design, allowing you to change them for different applications. Various configuration options are described in the user's manual included with each head, or download it as a PDF from [www.sachtler.com](http://www.sachtler.com).

### Possible modifications


- modification to Touch & Go® camera plate 35
- modification to pan bar with rosette
- modification to Multi Disc fitting
- modification to ball fitting
- modification to Mitchell fitting

### Technical Facts


Weight	9.4 kg / 20.7 lbs
Payload	16 - 65 kg / 35 - 143 lbs
Sliding range - plate	120 mm / 4.7 in
Counterbalance	in 18 steps
Grades of drag	9 each horizontal and vertical + 0
Tilt range	+90/-60°
Temperature range	-40° to +60° C / -40 to +140° F
Camera fitting	V-plate
Tripod/Pedestal fitting	Flat base
Pan bar(s)	2 pan bar front sections
Level	self-illuminating Touch Bubble
Batteries Level	3 x 625U or LR9

### Payload


C.O.G.*	min. kg	max.
75 / 3"	27.8 /	86.8 /
100 / 4"	24.2 /	75.5 /
125 / 5"	21.4 /	66.7 /
150 / 6"	19.1 /	59.8 /
175 / 7"	17.3 /	54.2 /
200 / 8"	15.9 /	49.5 /
250 /	13.5 /	42.3 /
300 /	11.8 /	36.9 /



Kameraplattform  
Counterbalance



Damping



Dimensions

## Further photos



## Order data

Article	Order code
Video 60 Plus Studio Fluid head	6001

This product is also available in the following systems:

Article	Order code
System 60 OB 2000	6095
System 60 Studio	6094

## Accessories



Case 60 FB



Pan bar back section right



Pan bar back section left



Cable clamp V 60



Multi Disc



Quickfix



Ball adapter with screw



EFP Setup Video 60 Plus



ENG adapter plate



Accessory adapter



Accessory adapter with clamping

