sachtler





Sensitive, fast and robust – small heads for awesome shots: Perfectly designed for all users of MiniDV and (H)DV cameras, Sachtler's new fluid heads have payloads ranging from 0 to 2 kg / 0 to 4.4. Ib (FSB 2) and 1 to 6 kg / 2.2 to 13.2 lb (FSB 6). The FSB 6 is the only in its class to feature Sachtler's Snap & Go sideload mechanism which boasts an exceptionally large sliding range of 120 mm / 4.7" and 10-step counterbalance. This ensures extremely fine and fast balancing. Alternatively, the head is also available with the classic Touch & Go® camera plate. The smaller FSB 2 offers counterbalance settings of 1 and 0, while both fluid heads have three horizontal and three vertical grades of drag plus 0. No compromises have been made with regard to the damping, which is based on the same construction principles as the "large" heads.

Works with SOOM


Sachtler's new fluid heads FSB 2 and FSB 6 and the FSB CELL are all components of the SOOM modular construction system.


Technical Facts

| Weight | | |
|------------------------------|--|--|
| Payload | | |
| Sliding range - plate | | |
| Counterbalance | | |
| Grades of drag | | |
| Tilt range | | |
| Temperature range | | |
| Camera fitting | | |
| Tripod/Pedestal fitting | | |
| Pan bar(s) | | |
| Level | | |
| Batteries Level | | |
| Adapter viewfinder extension | | |

Payload

C.O.G.* min. kg / max. 50 / 2" 1.6 / 3.5 8.5 / 75 / 3" 1.3 / 2.9 6.9 / 100 / 4" 1.1 / 2.5 5.9 / 125 / 5" 1.0 / 2.1 5.1 / 150 / 6" 0.9 / 1.9 4.5 / 9.9 175 / 7" 0.8 / 1.7 4.0 / 8.9 200 / 8" 0.7 / 1.5 3.6 / 8.0 2 kg / 4.4 lbs 1 - 6 kg / 2.2 - 13.2 lbs 120 mm / 4.7 in in 10 steps 3 each horizontal and vertical + 0 +90/-70° -40° to +60° C / -40 to +140° F Sideload plate S 75 mm bowl, integrated flat base fitting 1, Type DV 75 self-illuminating Touch Bubble 1x CR2032 optionally





Further photos



Order data

| Article | Order code |
|------------------|------------|
| FSB 6 Fluid head | 0407 |

This product is also available in the following systems:

| Article | Order code |
|------------------------------|------------|
| Article | Order code |
| SOOM FSB 6 System | 0480 |
| System FSB 6 | 0470 |
| System FSB 6 / 2 D | 0471 |
| System FSB 6 MD | 0472 |
| System FSB 6 / 2 MD | 0473 |
| System FSB 6 SL MCF | 0475 |
| System FSB 6 PowerSet | 0470Bxxx |
| System FSB 6 / 2 D PowerSet | 0471Bxxx |
| System FSB 6 MD PowerSet | 0472Bxxx |
| System FSB 6 / 2 MD PowerSet | 0473Bxxx |
| System FSB 6 SL MCF PowerSet | 0475Bxxx |

Accessories



Adapter 75/100



Accessory adapter with clamping



Cable Adapter FSB CELL Canon



Pan bar DV right (telescopic)





FSB CELL

Cable Adapter

FSB CELL

Panasonic





Pan bar DV left (telescopic)



FSB CELLCharger



Adapter block FSB 6 / 8



Cable Adapter FSB CELL Sony L.



Accessory adapter



Cable Adapter FSB CELL Sony Ш

