

Cine 30 HD Fluid head



With side-load mechanism


Sachtler's fluid head Cine 30 HD features a side-load mechanism for the camera plate. A key advantage of this technology is that the fluid head can be side-loaded together with its camera set-up – quickly and easily. The mechanism is compatible with camera plates from OConnor and ARRI. The operating elements, manufactured according to 2K processes, are especially convenient. If you need a front box for all sorts of utensils or tools, it is simple to mount an adapter which is exceptionally practical for film and HD shooting.

Technical Facts


Weight	5.6 kg / 12.3 lbs
Payload	3 - 35 kg / 7 - 77 lbs
Sliding range - plate	150 mm / 5.9 in
Counterbalance	in 18 steps + Boost Button
Grades of drag	7 each horizontal and vertical + 0
Tilt range	+90/-75°
Temperature range	-40° to +60° C / -40 to +140° F
Camera fitting	Side-load plate 30 HD
Tripod/Pedestal fitting	150 mm bowl, integrated flat base fitting
Pan bar(s)	1, telescopic, Type HD
Level	self-illuminating Touch Bubble
Batteries Level	3 x 625U or LR9

Payload


cog	min kg / max kg /
75 / 3"	4.1 / 9.4 48.0 /
100 / 4"	3.5 / 7.8 41.0 /
125 / 5"	3.1 / 6.8 35.7 /
150 / 6"	2.7 / 6.0 31.7 /
175 / 7"	2.5 / 5.4 28.5 /
200 / 8"	2.2 / 4.9 25.9 /
250 /	1.9 / 4.2 21.8 /
300 /	1.6 / 3.6 18.9 /



Kameraplattform
Counterbalance Gewicht (kg)



Damping Dämpfungsstufe



Dimensions

Further photos



Order data

Article	Order code
Cine 30 HD Fluid head	3006

This product is also available in the following systems:

Article	Order code
System 30 EFP 2 MCF	3012
System Cine 30	3025

Accessories



Case 30



Front pan bar
HD



Front Box
Adapter



Touch & Go®
adapter plate



Mitchell adapter
plate



Mitchell adapter
piece with
locking knob



Pan bar HD left
(telescopic)



Cable clamp V
60



Adapter FB/150



Accessory
adapter



Accessory
adapter with
clamping

