


iR2420, the similar screw apertures and dimensions as a 3.5" hard drive, is capable fitted in any 3.5" hard drive or floppy slot. It continues RAIDON hardware RAID tradition which possesses RAID 1 and 0 modes. With the wonderful heat transpiration, the users may achieve the excellent work efficiency. Despite of embedded two 2.5" hard drives in iR2420, it also enables to enclose SSD as a route. According to different usage demand, each address different particles (MLC or SLC) SSD derived from the use of restriction!



## • Ensure Data Security

MLC SSD is cheaper consequence of short lifespan. Adding a RAID 1 can recover the data loss caused by short lifetime.

Due to the technical structure differences between SSD and HDD, RAID 1 mode is suggested when using SSD to maintain the best of operating performance, if RAID 0 mode is chosen when using SSD may cause degradation of operating performance.



For more of RAID Storage options, please visit www.RAIDON.com.tw sales1@raidon.com.tw

## RAIDUN

## Your Data Security Guardian

## Awesome Heat Venting Design

Perfect heat transpiring structure efficiently avoided over heat issues to sustain performance in operation.



Model No.	iR2420-2S-S2		
Chipset	SR2045 RAID Chip		
Drive Bay	3.5" Floppy DriveBay		
Drive Fit	2.5" SATA SSD or HDD x 2 (9.5mm thickness)		
RAID Level	RAID 0 & 1		
Hot-Swap	RAID 1		
Auto Rebuilding	RAID 1		
Host Interface	SATA Connector (7Pin)		
Power Supply	SATA Connector (22Pin)		
HDD Access Indicator	LED		
Cooling Fan	3cm Fan		
Buzzer Alarm	Yes		
Environment Detector	Fan Failure / Overheat		
Color	Matt Black		
Structure	Full Metal		
Dimensions	102W x 147L x 26H(mm)		
Weight	0.35(kg)		
Certifications	CE & FCC		
Operating System Support	Windows, Linux, Mac		
Function Control Interface	GUI (Windows Only)		
Packing Content	CD  Quick Installation Guide  Accessory Kit		
Support Single HDD Maximum Capacity	1TB		

For more of RAID Storage options, please visit www.RAIDON.com.tw sales1@raidon.com.tw

Logistical Data				
Dimension of Article:	102W*147L*26H mm	Net Weight:	0.35 kg	
Dimension of Packing Box:	135W*200L*55H mm	Gross Weight (incl. packing):	0.49 kg	
Dimension/Carton:	416W*568L*244H mm	Total Weight:	16 kg	
Packing Unit:	32units/ctn	Country of Origin:	Taiwan	
EAN-No.:	4711132864083			
UPC-No.:	884826503309			

The product specification is subject to change without notice.